

perma Extreme pressure grease SF02

Version 1.1

Revision Date 28.04.2015

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : perma Extreme pressure grease SF02

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Grease

1.3 Details of the supplier of the safety data sheet

perma-tec GmbH & Co. KG
Hammelburger Straße 21
97717 EUERDORF
GERMANY
Tel: +49 9704 609-0
Fax: +49 9704 609-50

E-mail address : msds@perma-tec.com

National contact : H-T-L perma UK
Lakeside House
1 Furzeground Way,
Stockley Park
UXBRIDGE UB11 1BD
MIDDLESEX
UNITED KINGDOM
Phone: +44 20 8622 3200
+49 9704 609-99 (Mo-Th 8:00-16:30, Fr
08:00-12:00)

1.4 Emergency telephone number

+49 9704 609-99 (Mo-Th 8:00-16:30, Fr 08:00-12:00)

2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Classification (67/548/EEC, 1999/45/EC)

Not a hazardous substance or mixture.

2.2 Label elements

perma Extreme pressure grease SF02

Version 1.1

Revision Date 28.04.2015

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.3 Other hazards

3. Composition/information on ingredients

3.2 Mixtures

Chemical nature : Mineral oil.
lithium soap
solid lubricant

Hazardous components

Chemical Name	CAS-No. EC-No. Index-No. Registration number	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
Substances with a workplace exposure limit :				
molybdenum disulphide	1317-33-5 215-263-9			>= 1 - < 10

4. First aid measures

4.1 Description of first aid measures

- If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.
Keep patient warm and at rest.
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.
In case of contact, immediately flush skin with plenty of water.
- In case of eye contact : If eye irritation persists, consult a specialist.
Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.
- If swallowed : Do not induce vomiting without medical advice.
Get medical attention if symptoms occur.
- : Move the victim to fresh air.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : No information available.
- Risks : None known.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : No information available.

perma Extreme pressure grease SF02

Version 1.1

Revision Date 28.04.2015

5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Fire may cause evolution of:
Carbon oxides
Metal oxides
Sulphur oxides

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. In the case of respirable dust and/or fumes, use self-contained breathing apparatus. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.
Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust).
Avoid breathing dust.
Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses.
Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Clean up promptly by sweeping or vacuum.
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

perma Extreme pressure grease SF02

Version 1.1

Revision Date 28.04.2015

7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Wash hands and face before breaks and immediately after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container.
Keep container closed when not in use.
Keep in a dry, cool and well-ventilated place.
To maintain product quality, do not store in heat or direct sunlight.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Store in accordance with the particular national regulations.
Keep in properly labelled containers.

7.3 Specific end use(s)

: Consult the technical guidelines for the use of this substance/mixture.

8. Exposure controls/personal protection

8.1 Control parameters

Components	CAS-No.	Value type	Control parameters	Update	Basis
molybdenum disulphide	1317-33-5	TWA	10 mg/m ³	2005-04-06	GB EH40
Further information:	Molybdenum				
molybdenum disulphide	1317-33-5	STEL	20 mg/m ³	2005-04-06	GB EH40
Further information:	Molybdenum				

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an

perma Extreme pressure grease SF02

Version 1.1

Revision Date 28.04.2015

approved filter.

- Hand protection : For prolonged or repeated contact use protective gloves.
The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.
The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.
- Eye protection : Tightly fitting safety goggles
Safety glasses with side-shields conforming to EN166
- Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.
- Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Environmental exposure controls

- General advice : Try to prevent the material from entering drains or water courses.
Local authorities should be advised if significant spillages cannot be contained.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Form : paste
- Colour : grey
- Odour : characteristic
- Odour Threshold : No data available
- pH : No data available
- Melting point/range : No data available
- Boiling point/boiling range : No data available
- Flash point : not applicable
- Evaporation rate : No data available
- Flammability (solid, gas) : Combustible Solids
- Lower explosion limit : No data available
- Upper explosion limit : No data available
- Vapour pressure : < 0.001 hPa, 20 °C
- Relative vapour density : No data available

perma Extreme pressure grease SF02

Version 1.1

Revision Date 28.04.2015

Density	: 0.90 g/cm ³ , 20 °C
Water solubility	: insoluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Ignition temperature	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Oxidizing properties	: No data available

9.2 Other information

Sublimation point	: No data available
Bulk density	: No data available

10. Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

10.6 Hazardous decomposition products

Hazardous decomposition products : No decomposition if stored and applied as directed.

11. Toxicological information

11.1 Information on toxicological effects

Product

Acute oral toxicity	: This information is not available.
Acute inhalation toxicity	: This information is not available.
Acute dermal toxicity	: This information is not available.
Skin corrosion/irritation	: This information is not available.

perma Extreme pressure grease SF02

Version 1.1

Revision Date 28.04.2015

Serious eye damage/eye irritation	:	This information is not available.
Respiratory or skin sensitisation	:	This information is not available.
Germ cell mutagenicity	:	
Genotoxicity in vitro	:	No data available
Genotoxicity in vivo	:	No data available
Carcinogenicity	:	No data available
Reproductive toxicity	:	No data available
Teratogenicity	:	No data available
Repeated dose toxicity	:	This information is not available.
Aspiration toxicity	:	This information is not available.
Further information	:	Information given is based on data on the components and the toxicology of similar products.

12. Ecological information

12.1 Toxicity

Product:

Toxicity to fish	:	No data available
Toxicity to daphnia and other aquatic invertebrates	:	No data available
Toxicity to algae	:	No data available
Toxicity to bacteria	:	No data available

12.2 Persistence and degradability

Product:

Biodegradability	:	No data available
Physico-chemical removability	:	No data available

12.3 Bioaccumulative potential

Product:

Bioaccumulation	:	This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT)., This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).
-----------------	---	--

12.4 Mobility in soil

perma Extreme pressure grease SF02

Version 1.1

Revision Date 28.04.2015

Product:

Mobility : No data available
Distribution among environmental compartments : No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

Additional ecological information : No information on ecology is available.

13. Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
: Waste codes should be assigned by the user based on the application for which the product was used.

Contaminated packaging : Empty containers can be landfilled, when in accordance with the local regulations.

14. Transport information

14.1 UN number

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.2 Proper shipping name

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.3 Transport hazard class

ADR

Not dangerous goods

IMDG

perma Extreme pressure grease SF02

Version 1.1

Revision Date 28.04.2015

Not dangerous goods
IATA
Not dangerous goods

14.4 Packing group

ADR
Not dangerous goods
IMDG
Not dangerous goods
IATA
Not dangerous goods

14.5 Environmental hazards

ADR
Not dangerous goods
IMDG
Not dangerous goods
IATA
Not dangerous goods

14.6 Special precautions for user

No data available

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not available

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

Major Accident Hazard Legislation : 96/82/EC Update: not applicable

15.2 Chemical Safety Assessment

This information is not available.

16. Other information

Further information

This safety datasheet applies only to products originally packaged and labelled by perma-tec. The information contained therein is protected by copyright and must not be reproduced or amended without the express written approval of perma-tec. This document may be passed on only to the extent required by law. Any dissemination of our safety datasheets (e.g. as a document for download from the Internet) beyond this legally required extent is not permitted without express written consent. perma-tec

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - en



perma Extreme pressure grease SF02

Version 1.1

Revision Date 28.04.2015

provides its customers with amended safety datasheets as prescribed by law. The customer is responsible for passing on safety datasheets and any amendments contained therein to its own customers, employees and other users of the product. perma-tec provides no guarantee that safety datasheets received by users from third parties are up-to-date. All information and instructions in this safety datasheets were compiled to the best of our knowledge and are based on the information available to us. The data provided are intended to describe the product in relation to the required safety measures; they are neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and do not justify any contractual legal relationships.